CONTENTS

Special Issue: Calorimetry and Thermal Analysis – A Collection of Selected Papers Presented at the 25th Anniversary Conference of the Japanese Society of Calorimetry and Thermal Analysis, Osaka, Japan, 31 October–2 November 1989

Preface vii

Sponsors and Organizing Committee viii

I. Plenary lectures

High temperature heat contents of III–V semiconductor systems
K. Itagaki and K. Yamaguchi (Sendai, Japan) 1

Calorimetry of phase transition and melting in silicates
A. Navrotsky (Princeton, NJ, USA) 13

On the suitability of controlled transformation rate thermal analysis (CRTA) for kinetic study. 1. Determination of the activation energy by the rate–jump method
A. Ortega (Sevilla, Spain), S. Akhouayri, F. Rouquerol and J. Rouquerol (Marseille, France) 25

Thermodynamic bases of the stability of protein structure
P.L. Privalov (Pushchino, USSR) 33

Thermodynamic studies of the insertion and folding of membrane proteins: Yeast cytochrome c oxidase
E. Freire (Baltimore, MD, USA) 47

Some new aspects of adiabatic calorimetry at low temperatures
T. Matsuo (Osaka, Japan) 57

II. Papers presented at the Mini-Symposium on Biocalorimetry

Application of calorimetric methods to cellular processes: with special references to quantitative evaluation of drug action on living cells
K. Takahashi (Sakai, Japan) 71

Thermal characterization of a polyethyleneglycol-derivative induced vesicle fusion as revealed by high sensitivity differential scanning calorimetry
M. Kodama, S. Tsuchiya, K. Nakayama, Y. Takaichi (Okayama, Japan), M. Sakiyama (Osaka, Japan), K. Akiyoshi, K. Tanaka and J. Sunamoto (Kyoto, Japan) 81

A differential scanning calorimetric study of the conformational transitions of several kinds of (1→6) branched (1→3)-β-D-glucans in a mixture of water and dimethylsulfoxide
S. Kitamura, M. Ozasa, H. Tokioka (Kyoto, Japan), C. Hara, S. Ukai (Gifu, Japan) and T. Kuge (Kyoto, Japan) 89

Binding and reaction calorimeters in Na, K ATPase–ATP system
S. Morimoto (Tsukuba, Japan), S. Ito, Y. Hara and M. Nakao (Tokyo, Japan) 97

A stopped-flow calorimeter with a thermocouple array sensor for studies of energetic aspects of enzymatic reactions
T. Kodama (Okayama, Japan) and K. Kometani (Iizuka, Japan) 105

Recent developments in bio-calorimetry with micro-DSC
L. Benoist (Caluire, France) 111

Scanning calorimetric study of tryptophan synthase α-subunits from *Escherichia coli*, *Salmonella typhimurium*, and an interspecies hybrid
Y. Sugisaki, K. Ogasahara (Osaka, Japan), E.W. Miles (Bethesda, MD, USA) and K. Yutani (Osaka, Japan) 117

Thermal transition of a mutated dihydrofolate reductase
H. Uedaira (Tsukuba, Japan), S. Kidokoro (Tokyo, Japan), M. Iwakura, S. Honda and S. Ohashi (Tsukuba, Japan) 123

Interaction of an anthracycline antibiotic, 4′-O-tetrahydropyranyladriamycin (pyrarubicin), with plasmid pJL3-TB5 DNA
Y. Maeda, K. Nunomura and E. Ohtsubo (Tokyo, Japan) 129

Melting of water absorbed by phospholipid bilayers: Effects of an unsaturated hydrocarbon chain
T. Takizawa, H. Mitomo and K. Hayashi (Maebashi, Japan) 133

III. General papers

Calorimetric studies on the state of water in aerosol OT reversed micelles
A. Goto, H. Yoshioka (Shizuoka, Japan), H. Kishimoto (Nagoya, Japan) and T. Fujita (Shizuoka, Japan) 139

The conformational change of DNA in aqueous alcohol solutions containing metallic ions determined by using differential scanning calorimeter
Y. Matsuoka, A. Nomura, S. Tanaka, Y. Baba and A. Kagemoto (Osaka, Japan) 147

Heats of dilution of water-soluble-polymer solutions (II). Heat interaction parameters of aqueous hydroxypropylcellulose and gelatin solutions determined by means of flow microcalorimeter
M. Maeda, Y. Yamamoto, Y. Bava and A. Kagemoto (Osaka, Japan) ... 155

Effects of water and alcohols on molecular motion of perfluorinated ionomer membranes
Y. Miura and H. Yoshida (Tokyo, Japan) 161

On the relation between enthalpic virial coefficient and the size of alkyl group in dilute aqueous solution of alcohols
R. Kadowaki and K. Nakanishi (Kyoto, Japan) 169

Enthalpy relaxation of polyethers having phenylene groups in the main chain
T. Hatakeyama (Tsukuba, Japan), H. Yoshida (Tokyo, Japan), S. Hirose and H. Hatakeyama (Tsukuba, Japan) 175

Thermodynamics of liquid mixtures containing methyl methylthiomethyl sulfoxide. VII. Excess enhalpies of binary mixtures between methyl methylthiomethyl sulfoxide and each of toluene, *o*-, *m*-, *p*-xylenes and 1, 3, 5-trimethylbenzene at 298.15 K
T. Kimura, H. Tsuji, Y. Usui and S. Takagi (Higashi–osaka, Japan) 183

Temperature dependence of molar excess volumes and excess thermal expansion coefficients for binary mixtures of cyclohexane with some hydrocarbons between 298.15 and 313.15 K
A. Arimoto, H. Ogawa and S. Murakami (Osaka, Japan) 191

Measurement of isobaric specific heat of HCFC-123 in the liquid phase
S. Nakagawa, H. Sato and K. Watanabe (Yokohama, Japan) 203

Thermal properties of nematic main-chain polyesters with azoxybenzene mesogen
Y. Maeda (Tsukuba, Japan) 211

Construction of a heat capacity spectrometer and application to some molecular glass forming substances
T. Inaba, H. Kawaji, T. Atake and Y. Saito (Yokohama, Japan) 219

Thermal and dielectric properties of manganese squarate clathrate compound
Y. Miyazaki and T. Matsuo (Osaka, Japan) 225

Vibrational states and phase diagram of the submonolayer krypton adsorbed on graphite by the low temperature heat capacity
T. Shirakami, A. Inaba and H. Chihara (Osaka, Japan) 233

Thermodynamic study of the incommensurate phase transitions in crystalline bis(4-chlorophenyl)sulfone
K. Saito, H. Kamio, K. Kikuchi and I. Ikemoto (Tokyo, Japan) 241

Heat capacities of rare earth isothiocyanate heptahydrates, $[M(NCS)_3(H_2O)_6]\cdot H_2O$ (M = Ce, Pr, Nd), at very low temperatures: New finding of magnetic phase transitions and Schottky anomalies
T. Hashiguchi, M. Nakano, Z-C. Tan, M. Sorai and H. Suga (Osaka, Japan) 249

Thermal and dielectric properties of the solid solutions $(RbCN)_{1-x}(KCN)_x$ at low temperatures
T. Shouda, T. Matsuo, H. Suga (Osaka, Japan) and F. Luty (Salt Lake City, UT, USA) 257

Heat capacity and phase transition of trimethylolethane
K. Suenaga, T. Matsuo and H. Suga (Osaka, Japan) 263

The thermal phase transformations of lithium, sodium and potassium formates
Y. Masuda, K. Hashimoto and Y. Ito (Niigata, Japan) 271

Heat capacity measurement of α-Ti–O solid solution doped with vanadium and aluminium from 320 to 910 K
T. Tsuji, M. Sato and K. Naito (Nagoya, Japan) 279

Thermochemical properties of some liquid III–V alloys
K. Yamaguchi and K. Itagaki (Sendai, Japan) 287

Kinetics of nonisothermal dehydration of crushed crystals of potassium copper(II) chloride dihydrate
H. Tanaka and N. Koga (Hiroshima, Japan) 295

Thermal decomposition of mixed zirconium and yttrium oxide hydrate
H. Tagawa, J. Mizusaki (Yokohama, Japan), H. Narita and H. Takeuchi (Saitama, Japan) 303

A study on the thermal decomposition of $KClO_4$ and $NaClO_4$ by acoustic emission thermal analysis
S. Shimada and R. Furuichi (Sapporo, Japan) 313

Thermal diffusivity measurement of polymer films by the temperature wave method using Joule-heating
T. Hashimoto, Y. Matsui, A. Hagiwara (Tokyo, Japan) and A. Miyamoto (Yokohama, Japan) 317

Pressure effect on relations between glass transition temperature and freezing-in rate for polystyrene
K. Takamizawa and H. Toratani (Fukuoka, Japan) 325

Author Index 331

Subject Index 333